

DAFTAR PUSTAKA

- Althunibat, O. Y., Hashim, R. B., Taher, M., Daud, J. M., Ikeda, M.-A. & B.I, Z., 2009, In Vitro Antioxidant and Antiproliferative Activities of Three Malaysian Sea Cucumber Species, *European Journal of Scientific Research*, Vol.37 No.3, 376-387.
- Andayani, R., Lisawati, Y. & Maimunah, 2008, Penentuan Aktivitas Antioksidan, Kadar Fenolat Total dan Likopen Pada Buah Tomat (*Solanum Lycopersicum* L), *Jurnal Sains dan Teknologi Farmasi*, Vol. 13, No. 1.
- Arlyza, I. S., 2009, Teripang Dan Bahan Aktifnya, *Oseana XXXIV*, Nomor 1 9 - 17.
- Dalimartha, S. & Sudibyo, M., 1998, *Awet Muda Dengan Tumbuhan Obat dan Diet Suplemen*, Trubus Agriwijaya, Jakarta.
- Dehpour, A. A., Ebrahimzadeh, M. A., Fazel, N. S. & Mohammad, N. S., 2009, Antioxidant activity of the methanol extract of *Ferula assafoetida* and its essential oil composition, *Grasas Aceites*, 60 (4).
- Farkas, O., Jakus, J. & Héberger, K., 2004, Quantitative Structure – Antioxidant Activity Relationships of Flavonoid Compounds, *Molecules*, 9, 1079-1088.
- Farouk, A. E. A., Ghouse, F. A. H. & Ridzwan, B. H., 2007, New Bacterial Species Isolated from Malaysian Sea Cucumbers with Optimized Secreted Antibacterial Activity, *American Journal of Biochemistry and Biotechnology* 3 (2), 60-65.
- Fessenden, R. J. & Fessenden, J. S., 1986, *Kimia Organik*, Edisi Ketiga, Erlangga, Jakarta.
- Fredalina, B. D., Ridzwan, B. H. & Abidin, A. A. Z., 1999, Fatty acid compositions in local sea cucumber, *Stichopus chloronatus* for wound healin (abstrack), *General Pharmacology*, 33 (4), 337-340.
- Hanani, E., Mun'im, A. & Sekarini, R., 2005, Identifikasi Senyawa Antioksidan Dalam Spons *Callyspongia* sp Dari Kepulauan Seribu, *Majalah Ilmu Kefarmasian*, Vol. II, No.3, 127 - 133.
- Harborne, J. B., 1987, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*, Terbitan Kedua, diterjemahkan oleh Padmawinata, K. & Sudiro, I., ITB Press, Bandung.
- Hariyatmi, 2004, Kemampuan Vitamin E Sebagai Antioksidan Terhadap Radikal Bebas Pada Lanjut Usia, *Journal MIPA*, Vol. 14, No. 1, 52 - 60.

- Irnaningtyas, 1992, *Invertebrata* 2, (Online), (http://elcom.umy.ac.id/elschool/muallimin_muhammadiyah/file.php/1/materi/Biologi/INVERTEBRATA%202.pdf, diakses 13 Mei 2011).
- Kariya, Y., Watabes, S., Hashimoto, K. & Yoshida, K., 1990, Occurrence of Chondroitin Sulfate E in Glycosaminoglycan Isolated from the Body Wall of Sea Cucumber *Stichopus japonicus*, *The Journal of Biological Chemistry*, Vol. 265, No. 9 (Issue of March 25), 5081-5085.
- Khanahmadi, M., Rezazadeh, S. H. & Taran, M., 2010, In vitro antimicrobial and antioxidant properties of *Smyrnum cordifolium* boiss. (Umbelliferae) extract, *Asian Journal of Plant Sciences*, 9 (2), 99-103.
- Kordi, M. G. H., 2010, *Cara Gampang Membudidayakan Teripang*, Lily Publisher, Yogyakarta.
- Kuliscic, T., Radonicic, A., Katalinic, V. & Milosa, M., 2004, Analytical, Nutritional and Clinical Methods Use of different methods for testing antioxidative activity of oregano essential oil, *Food Chemistry*, 85, 633-640.
- Langseth, L., 1995, *Oxidant, Antioxidant, and Disease Prevention*, International Life Science Institute press, Belgium.
- Lelono, R. A. A., Tachibana, S. & Itoh, K., 2009, In vitro Antioxidative Activities and Polyphenol Content of *Eugenia polyantha* Weight Grown in Indonesia, *Pakistan Journal of Biological Sciences*, 12, 1564-1570.
- Manimaran, A. & Rajneesh, C. P., 2009, Activities of Antioxidant Enzyme and Lipid Peroxidation in Ovarian Cancer Patients, *Academic Journal of Cancer Research*, 2 (2), 68-72.
- Marliana, E., 2007, Analisis Senyawa Metabolit Sekunder dari Batang *Spatholobus ferrugineus* (Zoll & Moritzi) Benth yang Berfungsi sebagai Antioksidan, *Jurnal Penelitian MIPA*, Volume 1, No.1, 23-29.
- Middleton, E., Kandaswami, C. & Theoharides, T. C., 2000, The Effects of Plant Flavonoids on Mammalian Cells: Implications for Inflammation, Heart Disease, and Cancer, *Pharmacological Reviews*, 52, 673 – 751.
- Mojica, E. R. E. & Merca, F. E., 2005, Isolation and Parsial Characterization of a Lectin from the Internal Organs of the Sea Cucumber (*Holothuria scabra* Jaeger), *International Journal of Zoological Research*, 1 (1), 59-65.
- Nurhidayati, 2009, Efek Protektif Teripang Pasir (*Holothuria scabra*) Terhadap Hepatotoksistas Yang Diinduksi Karbon tetraklorida (CCl₄), *Tesis*, Pasca Sarjana Fakultas Kedokteran, Surabaya.

- Ong, A. S. H., Niki, E. & Packer, L., 1995, *Nutrition, Lipids, and Disease*, 245-253, AOCS, Press, Champaign, Illinois.
- Praptiwi, Dewi, P. & Harapini, M., 2006, Nilai peroksida dan aktivitas anti radikal bebas diphenyl picril hydrazil hydrate (DPPH) ekstrak metanol *Knema laurina*, *Majalah Farmasi Indonesia*, 17(1), 32 –36.
- Reynertson, K. A., Basile, M. J. & Kennelly, E. J., 2005, Antioxidant Potential of Seven Myrtaceous Fruits, *Ethnobotany Research & Applications*, 3:025-035.
- Reynertson, K. A., 2007, Phytochemical Analysis of Bioactive Constituents from Edible Myrtaceae Fruit, *Dissertation*, The City University of New York, New York.
- Rohman, A. & Riyanto, S., 2006, Aktivitas Antiradikal Bebas Ekstrak Kloroform Buah Mengkudu (*Morinda citrifolia*, L.) dan Fraksi-Fraksinya, *Artocarpus*, Vol.6.No.1 Maret 2006, 39.
- Rohman, A., Riyanto, S., Yuniarti, N., Saputra, W. R., Utami, R. & Mulatsih, W., 2010, Antioxidant activity, total phenolic, and total flavonoid of extracts and fractions of red fruit (*Pandanus conoideus* Lam), *International Food Research Journal*, 17, 97-106.
- Shahidi, F., 1997, *Natural Antioxidant, Chemistry, Health Effect and Application*, AOCS Press, Illinois.
- Shian, T. E., Abdullah, A., Musa, K. H., Maskat, M. Y. & Ghani, M. A., 2012 Antioxidant Properties of Three Banana Cultivars (*Musa acuminata* 'Berangan', 'Mas' and 'Raja') Extracts, *Sains Malaysiana*, 41, 319-324.
- Sies, H. & Stahl, W., 1995, Vitamins E and C, α -carotene, and other carotenoids as antioxidants, *American Journal Clinical Nutrition* 62 (supp), 1315S-21S.
- Soeksmanto, A., Hapsari, Y. & Simanjuntak, P., 2007, Kandungan Antioksidan pada Beberapa Bagian Tanaman Mahkota Dewa, *Phaleria macrocarpa* (Scheff) Boerl. (Thymelaceae), *Biodiversitas*, 8 (2), 92-95.
- Stonik, V. A., 1986, Some terpenoid and steroid derivatives from echinoderms and sponges, *Pure & Appl Chem*, Vol. 58, No. 3, 423—436.
- Sunarni, T., Pramono, S. & Asmah, R., 2007, Flavonoid antioksidan penangkap radikal dari daun kepel (*Stelechocarpus burahol* (Bl.) Hook f. & Th.), *Majalah Farmasi Indonesia*, 18(3), 111 - 116.

- Utami, W., Dai, M. & Sofiana, Y. R., 2005, Aktivitas Penangkap Radikal Dengan Metode DPPH Serta Penetapan Kandungan Fenol dan Flavanoid Dalam Ekstrak Kloroform, Ekstrak Etil Asetat, Ekstrak Etanol Daun Dewandaru (*Eugenia uniflora L.*), *Pharmacon*, Vol. 6, No.1 5 - 9.
- Windono, T., Soediman, S., Yudawati, U., Ermawati, E., Srielita, A. & Erowati, T. i., 2001, Uji Peredaman Radikal Bebas Terhadap 1,1-Diphenyl-2-Picrilhydrazil (DPPH) dari Ekstrak Kulit Buah dan Biji Anggur (*Vitis vinifera L.*) Probolinggo Biru dan Bali, *Artocarpus*, Vol.1 No.1, 34-43.
- Zheng, W. & Wang, S. Y., 2003, Oxygen Radical Absorbing Capacity of Phenolics in Blueberries, Cranberries, Chokeberries, and Lingonberries, *J. Agric. Food Chem*, 51 (2), 502-509.